



SICC

INDUSTRIAL DOORS



SICC s.r.l. started in 1983 with the production and installation of industrial doors. The company has always paid a lot of attention to the needs of the market and especially to customer requests.

The strong commitment and the trusted relations with the buyers, allow SICC to start with its own fully production. Today SICC is one of the leading company in the Italian market for industrial closure.

A further strength point is the attention given to product regulations: every year SICC invests significant resources in Research and Development, both on materials and on production techniques.

Our range of products is developed following the latest regulations and using the state of the art technology, bringing all our products to have CE Marking.

Thanks to the highly qualified staff combined with the wide range of products, the company is able to meet the needs of customers, from the design, surveying measures up to the installation, if required. The dynamism, the passion for the work combined with the close collaboration with our trusted customers, allow SICC to respond to the challenges both in the Italian market and abroad.

SICC S.r.l. Unipersonale

*The Founder
Ivo Simionato*


About us



PLANE


*Doors of Plane Line are distinguished by
reliability, robustness, economy,
ease of installation and little maintenance over time.
The excellent thermal resistance combined with the
ability to withstand atmospheric agents, ensure
operational flexibility and long life.*

OUR PANELS




FOAM PANEL

Structural panel thickness 52mm insulated with polyurethane foam injected with a density equal to 43 Kg / mc (value U homogeneous central zone 0.457 W/sq.m K)



BONDED PANEL

Structural panel with variable thicknesses
52 mm / 62 mm / 72 mm / 82 mm / 102 mm / 122 mm / 152 mm insulated with polystyrene




SPECIAL BONDED PANEL

Structural panel with variable thicknesses
52 mm / 62 mm / 72 mm / 82 mm / 102 mm / 122 mm / 152 mm insulated with mineral wool

AVAILABLE COLORS

Our panels are coated on both sides with smooth sheet in pre-painted steel thickness 7-8/10, available in colors RAL:



RAL 1013



RAL 3000



RAL 3003



RAL 5010



RAL 6005




RAL 7001



RAL 7016



RAL 8019



RAL 7035-9002



RAL 9006



RAL 9007



RAL 9010

We also have a sheet covered in walnut-stained Pvc in two shades: light or dark
On request we can cover panels with stainless steel sheet (Aisi 304 or 316) or pre-painted aluminum sheet.



External view, doors with double leaf packs 4+4, motorized, with fixed side panels



External view, doors with double leaf packs 20+20, with double row of portholes and motor



FOLDING DOORS COMPRESS DOOR I MODEL

(with track on floor)



External view,
doors with double leaf
packs 8+8,
with portholes and
motor



External view,
doors with single leaf
pack 8+0, motorized

Ideal for medium / large size holes or
in the case of motorized doors in all types of openings



Doors with double leaf packs 2+2,
one side at 90° and the other at 180°,
broken leaf with panic handle

✓ internal view



✓ external view



External view, doors with single leaf pack 4+0,
with double row of portholes



FOLDING DOORS COMPRESS DOOR II MODEL NEW LINE (without track on floor)



Internal view, door with double leaf packs 2+2, opening 180°, central broken leaf with panic handle



Door with single leaf pack 4+0, side broken leaf with panic handle and upper portholes

✓ internal view

✓ external view



Handy and practical, ideal for manual and continue opening. Solution with good relation between quality/price, with galvanized steel upper track and side jambs in aluminium natural color; indicate for doors with internal installation.

✓ internal view



✓ external view



Door with duoble leaf packs 2+2, opening 180°, central broken leaf with panic handle, portholes and steel grilles



External view, doors with double leaf packs 1+2, opening 180°, with pedestrian door without obstacle inserted on single leaf

FOLDING DOORS COMPRESS DOOR II MODEL CLASSIC LINE (without track on floor)



External view, folding doors, with pvc sheet like wood light shade, with pedestrian door and window frames



Internal view, door with single leaf pack 0+4, side broken leaf and motor

Handy and practical, ideal for manual and continue opening.
Solution with upper track and steel side jamb painted of black;
Suitable for all types of installation: internal, external,
inside hole, on metal structures or with holes with the
presence of iron perimeter portals

✓ internal view



✓ external view



Door model 2AVS New line with handle with key for opening from outside



Door model 2AVS classic with two panels each leaf, with pedestrian door without obstacle, upper portholes

DOORS WITH SWING LEAVES 2 AVS MODEL NEW LINE / CLASSIC LINE (without track on floor)

✓ internal view



✓ external view



✓ internal view



✓ external view



Door model 2AVS classic with handle with key for opening from outside



Door model 2AVS classic with panic handle on primary leaf

Handy and practical.
Ideal for small opening, it can be used like panic handle door (max 3m x 3m).

New Line: solution with upper beam and side jambs made of aluminium in natural color.

Classic Line: solution with upper beam and side jambs made of steel painted of black.



External view, sliding door with single leaf, with pedestrian door without obstacle



External view, sliding door with opposed double leaves, window frames, handle with key for opening from outside

SLIDING DOORS

SLIDING DOOR SILVER MODEL

(without track on floor)



External view, sliding door with single leaf, pvc sheet like wood, with handle with key for opening from outside



External view, sliding door with opposed double leaves, with pedestrian door without obstacle obtained between two panels

Ideal for spaces with existing flooring or for spaces where folding doors are not suitable; usually used externally to the building.



External view,
sliding door with single leaf



External view,
sliding door with opposed double
leaves, with pedestrian door with
lowered obstacle



SLIDING DOORS

SLIDING DOOR GOLD MODEL

(with track on floor)



External view, sliding door with opposed double leaves, all painted profiles, with pedestrian door with lowered obstacle



External view, sliding doors with single leaf with overlapping sliding



Ideals for hole with non load-bearing lintel or for spaces where folding doors are not suitable; usually used externally to the building.

✓ internal view



✓ external view



Plane door with single leaf, panic handle push -type

✓ internal view



✓ external view



Plane door with two leaves, frame painted same leaves color, panic handle lever-type

✓ internal view



✓ external view



Plane door with single leaf, panic handle lever-type, porthole

DOORS FOR EXTERNAL PLANE DOOR MODEL “CERTIFICATE SAC 1”



✓ internal view



✓ external view



Plane door with single leaf,
panic handle lever-type,
frame and panel with different colors



External view,
plane doors with
single leaf near folding
door model compress II

Strong and solid doors, planned and certified to be installed in escape way.



External view,
plane doors with single leaf



internal view



external view

External view,
doors with single leaf
or two leaves, with
painted steel grilles

Plane door with
two leaves, panic
handle lever-type
on primary leaf



DOORS FOR EXTERNAL PLANE DOOR MODEL

✓ internal view



✓ external view



Plane door with single leaf, frame painted same leaves color, with internal and external handle

✓ internal view



✓ external view



Plane door with single leaf, with internal and external handle

✓ internal view



✓ external view



Plane door with two leaves, internal and external handle on primary leaf, rod fastening for secondary leaf

Strong and solid doors can be supplied with only external/ internal handle or with the panic handle application.



STEEL

The doors models of the steel line are characterized by a high coefficient of lighting, with optional use of different glass types

OUR LEAF



LEAF WITH ENCASED PANEL

Leaf thickness 50mm in steel (cold profile) painted and encased with insulated panel 25mm thick



LEAF WITH ENCASED GLASS:

Leaf thickness 50mm in steel (cold profile) painted and arranged for different sizes of glass, from mm. 6/7 up to 28

AVAILABLE COLORS

Our doors are powder coated in the various colors available RAL:



RAL 1013



RAL 3000



RAL 3003



RAL 5010



RAL 6005



RAL 7016



RAL 8019



RAL 7035-9002



RAL 9006



RAL 9010

GLASS ON REQUEST

Our doors can be encased with various types of glass, for example: transparent laminated (versions from mm. 3+3 o 4+4 o 5+5), stratified special (White Satin, White Milk, St. C), double glazing (of mm. 3+3 / 9 / 3+3), double glazing with low emissivity (of mm. 3+3 / 14 g.a. / 3+3 b.e.) and many other types of glass.



Internal view,
doors with double leaf
packs 6+6, motorized



External view,
doors with single leaf
packs, motorized



FOLDING DOORS GLASS DOOR I MODEL

(with track on floor)



External view
folding door with
double leaf packs 6+6,
motorized



External view
folding door with
single leaf packs 0+6,
with pedestrian door



External view
with single leaf packs 6+0,
with pedestrian door, motorized



External view,
door with duoble leaf packs 2+2,
central broken leaf



External view,
folding doors with double leaf packs 2+2, motorized



FOLDING DOORS GLASS DOOR II MODEL (without track on floor)



External view,
door with duoble leaf packs,
with iron grating welded



External view,
folding doors with
double leaf packs 2+2



External view,
door with duoble leaf packs 2+2,
central broken leaf, motorized



External view,
sliding door with single leaf,
with pedestrian door
without obstacle



External view,
sliding door with single leaf,
with pedestrian door
without obstacle

SLIDING DOORS

SLIDING DOOR SILVER GLASS MODEL

(without track on floor)



External view,
sliding door with single leaf,
with pedestrian door
without obstacle



External view,
sliding door with
two leaves, with pedestrian
door with lowered obstacle



External view,
sliding door with single leaf,
with pedestrian door with
lowered obstacle

SLIDING DOORS

SLIDING DOOR GOLD GLASS MODEL

(with track on floor)



External view,
sliding door with single leaf,
with pedestrian door with
lowered obstacle

✓ internal view



✓ external view



Door with two leaves,
panic handle on both leaves

✓ internal view



✓ external view



Door with single leaf
and panic handle,
with side fixed panels

DOORS FOR EXTERNAL STEEL DOOR MODEL



Door with two leaves and panic handle on primary leaf, with side and upper fixed panels



Door with two leaves made of lamellas

HANGAR DOORS

*The doors of the hangar doors line are the ideal closure for **large openings**, designed and **technically** set to have the best resistance and **performance results**; thanks to the different models proposed they can be adapted to each type of installation.*

internal view



external view



Folding door with double leaf packs 4+4, motorized, height of the hole 10500mm

External view, folding door with double leaf packs 6+6, with side fixed panels, height of the hole 6500mm





External view, folding doors with double leaf packs 6+6, with side fixed panels, height of the hole 8000mm



External view, folding door with double leaf packs 4+4, motorized, height of the hole 9000mm



Doors with upper load-bearing track and track on floor

✓ internal view



✓ external view



Folding door with double leaf packs 6+6, motorized, height of the hole 7500mm

FOLDING DOORS COMPRESS DOOR III MODEL



< Folding door with double leaf packs 8+8, motorized, height of the hole 7000mm

Doors with non-load-bearing upper track, lower pivoting wheels and floor track (ideal for opening with non-load-bearing architraves)



External view, sliding door model gold with two leaves without upper track (for passage of crane), motorized, height of the hole 8000mm



External view, sliding door model silver with two leaves, motorized, height of the hole 8000mm

SLIDING DOORS SLIDING DOOR MODEL SILVER - M or GOLD - M



External view, sliding door model silver with two leaves motorized, height of the hole 6000mm



External view, sliding door model gold with two leaves, with portholes, height of the hole 8000mm

Sliding doors in versions with (GOLD) or without (SILVER) track on floor



Sliding doors with overlapping leaves, with track on floor, motorized, height of the hole 7000 mm

Sliding doors with overlapping leaves, without track on floor, motorized, height of the hole 8000 mm



SLIDING DOORS SLIDING DOOR IRON - ST MODEL



Sliding doors with overlapping leaves, with track on floor, manual with special braking system, size of the hole 130m x 9,5m



Sliding door with or without track on floor, metal carpentry frame with sandwich-type insulated panels (variable thicknesses)



IRON

The sliding doors of the iron line are the ideal product for warehouses where a simple and functional product is required



External view, sliding door with three telescopic leaves within the hole with track on floor



External view, sliding door with one leaf, with track on floor with pedestrian door with lowered obstacle, motorized





External view, sliding door with one leaf with track on floor pedestrian door



External view, sliding door with double leaves with track on floor handle with key for opening from outside



SPECIAL PROJECTS



*Our range of products includes several finishes,
stainless steel and corten sheets, with concealed
hinges and many other solutions.*



External view, folding door with double leaf packs 2+2, without track on floor, made with corten steel sheets



External view, folding door with double leaf packs 3+3, without track on floor, leaves made of galvanized steel, with portholes

✓ internal view



✓ external view



Door for external
with panic handle,
made of stainless steel

✓ internal view



✓ external view



Folding door with double leaf packs
2+2, without track on floor,
made of stainless steel



External view, folding door with double leaf packs 2+2, without track on floor, with concealed hinges, with fixed upper panels



External view, sliding door with opposed double leaves, without track on floor, pedestrian door without obstacle, made of stainless steel



Supply and installation of fixed sandwich panels

OUR PARTNERS

*SICC collaborates with following
specialized partners:*





SICC SRL UNIPERSONALE

V. Galileo Galilei, 34
35015 Galliera Veneta (PD)

Tel. 049 / 596.50.97
Fax 049 / 944.00.19

www.sicc-srl.com

